EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	481	546/211.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:32
L2	4	L1 and ullman	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:33
L3	2	L1 and ullmann	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:34
L4	91	L1 and copper	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:33
L5	556	sertindole	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:34
L6	0	L% and ulman	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:35
L7	8	L5 and ullmann	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:35

EAST Search History

L8	0	L5 and ullman	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:35
S1	4977	hicks.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 09:47
S2	9017	indoles.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 09:48
S3	4	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 09:49
S4	3836	Rhodia.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 09:49
S5	5	S1 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 10:08
S6	212	sarges.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 10:08

EAST Search History

S7	5	S6 and indolone.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 10:24
S8	7	"5298625"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:32

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:SSPTADKO1625

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

```
 NEWS  1          Web Page for STN Seminar Schedule - N. America
 NEWS  2  JUL 02  LMEDLINE coverage updated
 NEWS  3  JUL 02  SCISEARCH enhanced with complete author names
 NEWS  4  JUL 02  CHEMCATS accession numbers revised
 NEWS  5  JUL 02  CA/CAplus enhanced with utility model patents from China
 NEWS  6  JUL 16  CAplus enhanced with French and German abstracts
 NEWS  7  JUL 18  CA/CAplus patent coverage enhanced
 NEWS  8  JUL 26  USPATFULL/USPAT2 enhanced with IPC reclassification
 NEWS  9  JUL 30  USGENE now available on STN
 NEWS 10  AUG 06  CAS REGISTRY enhanced with new experimental property tags
 NEWS 11  AUG 06  BEILSTEIN updated with new compounds
 NEWS 12  AUG 06  FSTA enhanced with new thesaurus edition
 NEWS 13  AUG 13  CA/CAplus enhanced with additional kind codes for granted
                  patents
 NEWS 14  AUG 20  CA/CAplus enhanced with CAS indexing in pre-1907 records
 NEWS 15  AUG 27  Full-text patent databases enhanced with predefined
                  patent family display formats from INPADOCDB
 NEWS 16  AUG 27  USPATOLD now available on STN
 NEWS 17  AUG 28  CAS REGISTRY enhanced with additional experimental
                  spectral property data
 NEWS 18  SEP 07  STN AnaVist, Version 2.0, now available with Derwent
                  World Patents Index
 NEWS 19  SEP 13  FORIS renamed to SOFIS
 NEWS 20  SEP 13  INPADOCDB enhanced with monthly SDI frequency
 NEWS 21  SEP 17  CA/CAplus enhanced with printed CA page images from
                  1967-1998
 NEWS 22  SEP 17  CAplus coverage extended to include traditional medicine
                  patents
 NEWS 23  SEP 24  EMBASE, EMBAL, and LEMBASE reloaded with enhancements

 NEWS EXPRESS  19 SEPTEMBER 2007:  CURRENT WINDOWS VERSION IS V8.2,
               CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
               AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.

 NEWS HOURS    STN Operating Hours Plus Help Desk Availability
 NEWS LOGIN    Welcome Banner and News Items
 NEWS IPC8     For general information regarding STN implementation of IPC 8
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific

research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 09:10:56 ON 25 SEP 2007

=> ....Testing the current file.... screen

THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE

Please change to a suitable file and repeat your upload

Some commands only work in certain files. For example, the EXPAND command can only be used to look at the index in a file which has an index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of commands which can be used in this file.

=> file casreact
FILE 'CASREACT' ENTERED AT 09:11:18 ON 25 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 22 Sep 2007 VOL 147 ISS 14

New CAS Information Use Policies, enter HELP USAGETERMS for details.

```
*************************************************************
*                                                           *
*     CASREACT now has more than 12 million reactions       *
*                                                           *
*************************************************************
```

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> ....Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END):end

=> screen 1929

L1 SCREEN CREATED

=>
Uploading C:\Program Files\Stnexp\Queries\10509668initial.str

chain nodes :
27 28 30
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 20 21 22 23 24
25
ring/chain nodes :
19
chain bonds :
9-19 18-20
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 10-11 10-15 11-12 12-13 13-14
14-15 14-16 15-18 16-17 17-18 20-21 20-25 21-22 22-23 23-24 24-25
exact/norm bonds :
5-7 6-9 7-8 8-9 14-16 15-18 16-17 17-18 18-20
exact bonds :
9-19
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 10-11 10-15 11-12 12-13 13-14 14-15 20-21
20-25 21-22 22-23 23-24 24-25

G1:H,X

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:CLASS
20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 27:CLASS 28:CLASS 30:CLASS
31:Atom 32:Atom 33:Atom
fragments assigned reactant role:
containing 1

fragments assigned product role:
containing 10
reaction site bonds:
9-19:CC 18-20:CC
node mappings:
8:17 7:16 9:18

L2 STRUCTURE UPLOADED

=> que L2 AND L1

L3 QUE L2 AND L1

=> d l3
L3 HAS NO ANSWERS
L1 SCR 1929
L2 STR
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.
L3 QUE ABB=ON PLU=ON L2 AND L1

=> s l1
SAMPLE SEARCH INITIATED 09:11:47 FILE 'CASREACT'
SAMPLE SCREEN SEARCH COMPLETED 50 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.08

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**
BATCH **INCOMPLETE**
PROJECTED VERIFICATIONS: 10797493 TO 10838387
PROJECTED ANSWERS: 461462 TO 470978

L4 50 SEA SSS SAM L1 (1627 REACTIONS)

=> s l3
SAMPLE SEARCH INITIATED 09:12:00 FILE 'CASREACT'
SCREENING COMPLETE - 4769 REACTIONS TO VERIFY FROM 268 DOCUMENTS

100.0% DONE 4769 VERIFIED 46 HIT RXNS 8 DOCS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED VERIFICATIONS: 91251 TO 99509
PROJECTED ANSWERS: 8 TO 329

L5 8 SEA SSS SAM L2 AND L1 (46 REACTIONS)

=> d scan

L6 6 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Relatively low-temperature catalytic procedure for arylation or vinylation of nitrogen-containing nucleophilic compounds

RX(43) OF 43



NOTE: Schlenk tube

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L6 6 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Novel Indolylimmaolylmaleimides as Inhibitors of Protein Kinase C-β: Synthesis, Biological Activity, and Cardiovascular Safety

RX(6) OF 44



(step 4)

RX(6) OF 44



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0


```
=> FIL STNGUIDE
FILE 'STNGUIDE' ENTERED AT 09:12:30 ON 25 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Sep 24, 2007 (20070924/UP).

=> file casreact
FILE 'CASREACT' ENTERED AT 09:13:21 ON 25 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 22 Sep 2007 VOL 147 ISS 14

New CAS Information Use Policies, enter HELP USAGETERMS for details.

++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++
+                                                                  +
+     CASREACT now has more than 12 million reactions              +
+                                                                  +
++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999)
provided by InfoChem, INPI data prior to 1986, and Biotransformations
database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance
identification.

=> ....Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END):end


=> screen 1976

L6     SCREEN CREATED

=>
Uploading C:\Program Files\Stnexp\Queries\10509668twohalogens.str
```

chain nodes :
27 28 30
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 20 21 22 23 24
25
ring/chain nodes :
19
chain bonds :
9-19 18-20
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 10-11 10-15 11-12 12-13 13-14
14-15 14-16 15-18 16-17 17-18 20-21 20-25 21-22 22-23 23-24 24-25
exact/norm bonds :
5-7 6-9 7-8 8-9 14-16 15-18 16-17 17-18 18-20
exact bonds :
9-19
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 10-11 10-15 11-12 12-13 13-14 14-15 20-21
20-25 21-22 22-23 23-24 24-25

G1:H,X

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:CLASS
20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 27:CLASS 28:CLASS 30:CLASS
31:Atom 32:Atom 33:Atom

fragments assigned reactant role:
containing 1
fragments assigned product role:
containing 10
reaction site bonds:
9-19:CC 18-20:CC
node mappings:
8:17 7:16 9:18

L7 STRUCTURE UPLOADED

=> que L7 AND L6

L8 QUE L7 AND L6

=> s l8
SAMPLE SEARCH INITIATED 09:13:42 FILE 'CASREACT'
SCREENING COMPLETE - 2909 REACTIONS TO VERIFY FROM 174 DOCUMENTS

100.0% DONE 2909 VERIFIED 19 HIT RXNS 4 DOCS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED VERIFICATIONS: 54951 TO 61409
PROJECTED ANSWERS: 4 TO 199

L9 4 SEA SSS SAM L7 AND L6 (19 REACTIONS)

=> d scan

L9 4 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Novel Indolylindazolylmaleimides as Inhibitors of Protein Kinase C-β: Synthesis, Biological Activity, and Cardiovascular Safety

RX(6) OF 64



RX(6) OF 64



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L9 4 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and structure-activity relationships of FabH inhibitors: cyclohexylcarbonomicacid biphenyl esters with chemical modulation of the proximal phenyl ring

RX(37) OF 63 - 2 STEPS



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L9 4 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI 1-Phenyl-2(1H,3H)-indolonepsychotherapeuticagents

RX(24) OF 228



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L9 4 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Copper-catalyzedN-arylationof nucleophilesand its applicationto, e.g., indoles

RX(1) OF 1



ALL ANSWERS HAVE BEEN SCANNED


```
=> 1
1 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).

=> s l8 full
FULL SEARCH INITIATED 09:14:54 FILE 'CASREACT'
SCREENING COMPLETE -     43139 REACTIONS TO VERIFY FROM      3227 DOCUMENTS

100.0% DONE    43139 VERIFIED      825 HIT RXNS                    132 DOCS
SEARCH TIME: 00.00.08

L10          132 SEA SSS FUL L7 AND L6 (    825 REACTIONS)

=> d scan
```

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Ligands for metals and improved metal-catalyzed processes based thereon

RX(36) OF 80



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI ESB ligands. Part 5: Synthesis and structure-activity relationships of a series of 4'-hydroxyphenyl-aryl-carbaldehydoximes derivatives

RX(33) OF 126



NOTE: Ullman arylation conditions

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Novel substituted 4-anilinomethylpiperidines as potent and selective human β3-agonists. Part 2: Arylethanolaminomethylpiperidines

RX(62) OF 288 - 2 STEPS



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI 7-Azaindolyl- and indolyl-functionalized tartaric molecules with a 1,3,5-trisilanor a benzene core - Syntheses and luminescence

RX(4) OF 20



RX(4) OF 20



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Optical limiting in the visible range: molecular engineering around N4,N4'-bis(4-methoxyphenyl)-N4,N4'-diphenyl-4,4'-diaminobiphenyl

RX(9) OF 20



NOTE: thermal, Ullmann reaction

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and characterization of carbazole-based dendrimers with porphyrin cores

RX(14) OF 25 - 2 STEPS



NOTE: 1) regioselective, 2) thermal

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Novel Concepts in Directed Biaryl Synthesis. 91. Rufrantifoline-F: First Total Synthesis, Atropo-Enantiomer Resolution, and Stereochemistry of an Axially Chiral N,C-Coupled Biaryl Alkaloid

RX(1) OF 20



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

```
=> FIL STNGUIDE
FILE 'STNGUIDE' ENTERED AT 09:15:49 ON 25 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Sep 24, 2007 (20070924/UP).

=> d scan
'DISPLAY SCAN' IS NOT VALID IN CURRENT FILE

The DISPLAY SCAN command is not valid in the current file.
Enter HELP FORMATS and HELP DFIELDS to see valid DISPLAY
options in current file.

=> file casreact
FILE 'CASREACT' ENTERED AT 09:16:53 ON 25 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 22 Sep 2007 VOL 147 ISS 14

New CAS Information Use Policies, enter HELP USAGETERMS for details.

+++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++
+                                                             +
+      CASREACT now has more than 12 million reactions        +
+                                                             +
+++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999)
provided by InfoChem, INPI data prior to 1986, and Biotransformations
database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance
identification.

=> d scan
```


L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI π-Conjugated Aromatic Enynes as a Single-Emitting Component for White Electroluminescence

RX(8) OF 20





82%

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):132

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of (4-hydroxyphenyl)-1H-indole-3-carboxaldehyde oximes as estrogenic agents

RX(13) OF 84

(Step 1)



21%

NOTE: chemoselective

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and Biological evaluation of indole-2 and 3-carboxamides: new selective cyclooxygenase-2 inhibitors

RX(47) OF 77 - 2 STEPS



(Step 2.2)



42%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Fischer indolization and related compounds. Part 21. Directions of the cyclizations in the Fischer indolizations of ethyl pyruvate 2-(p- or m-substituted phenyl)phenylhydrazones

RX(15) OF 58





29%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Potential Solution Processible Phosphorescent Iridium Complexes toward Applications in Doped Light-Emitting Diodes: Rapid Synthesis and Optical and Morphological Characterizations

RX(5) OF 17



(step 1) (step 2)



51%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Benzimidazolone and indole as non-thiol farnesyltransferase inhibitors based on tipifarnib scaffold: synthesis and activity

RX(44) OF 321





30%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of tetrahydroindole and tetrahydroindolone derivatives as anticancer agents

RX(112) OF 484





72%

NOTE: chemoselective, reaction from p61 in patent

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI N-arylation of indoles with 4-[18F]fluoroiodobenzene: Synthesis of 18F-labelled of receptor ligands for positron emission tomography (PET)

RX(1) OF 29



71%

NOTE: alternative reaction conditions gave lower yield, optimisation study, optimised on catalytic system and base, optimised on solvent and temperature

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and structure-affinity relationship investigations of 5-oxiranemethyl and 5-carbamoyl analogues of the antipsychotic sertindole. A new class of selective 5-HT2 serotonergic antagonists

RX(39) OF 247





79%

NOTE: Wilsmeier reaction

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Rearrangement of 1-arylindoles to 5H-dibenz[b,f]azepines

RX(5) OF 33



83%

NOTE: thermal, no solvent, Ullmann conditions

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Polymer-Supported Haloarene Chromium Dicarbonyl Isonitrile Complexes: A Study of Their Synthesis and Reactivity

RX(11) OF 72



(step 2)

RX(11) OF 72



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN (Continued)

RX(11) OF 72



NOTE: solid-supported reaction on polystyrene isonitrile resin

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Room-Temperature Palladium-Catalyzed Amination of Aryl Bromides and Chlorides and Extended Scope of Aromatic C-N Bond Formation with a Commercial Ligand

RX(11) OF 30



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI ZIS ligands. Part 5: Synthesis and structure-activity relationships of a series of 4'-hydroxybiphenyl-aryl-carboloylglycine derivatives

RX(33) OF 126



NOTE: Ullman arylation conditions

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Carbasolylnitrylmethanes: generation and reactions

RX(11) OF 11 - 4 STEPS



RX(11) OF 11 - 4 STEPS

NOTE: 4) THERMAL

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Indoles. XLII. Direct conformational Fischer indole synthesis according to a sigmatropic[3,3]-rearrangement

RX(6) OF 16



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of 2,7-diphenylfluorene derivatives with multiphoton absorption

RX(16) OF 54



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of phosphine ligands for metals and improved metal-catalyzed processes based thereon

RX(31) OF 72

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI CuI/proline-catalyzed N-arylation of nitrogen heterocycles

RX(11) OF 29



NOTE: Ra cross-coupling reaction

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of substituted indoles as inhibitors of poly(ADP-ribose) polymerase (PARP)

RX(98) OF 314



NOTE: Chemoselective, 4A molecular sieves used

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of symmetric and asymmetric functionalized cyclometalated organo rhodium and iridium complexes

RX(2) OF 4



RX(1) OF 4



97%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Fischer indolisation and its related compounds. XXIV. Fischer indolisation of ethyl pyruvate 2-(2-methoxyphenyl)phenylhydrazone

RX(11) OF 40



NOTE: 0,8

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI An Route to Surface-Bound Electric Field-Driven Molecular Rotors

RX(9) OF 244



SO%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI N-arylindoles and their use as herbicides

RX(2) OF 29



NOTE: HYDROXIDE

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Novel spiro-configured PET chromophores incorporating 4,5-diazafluorene moiety as an electron acceptor

RX(1) OF 4



(step 1) (step 2)

77%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Towards an understanding of structure-property relationships in hole-transporting materials: The influence of molecular conformation on oxidation potential in poly(arylamines)

RX(7) OF 9



79%

NOTE: Ullmann conditions

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation and properties of 4-dialkylamino-phenyl N-functionalised 2,7-linked carbazole polymers

RX(1) OF 9



70%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Conformationally constrained N(1)-arylsulfonyltryptamine derivatives as 5-HT6 receptor antagonists

RX(24) OF 201



(step 1) (step 2)

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Copper-catalysed N-arylation of nucleophiles and its applications to, e.g., indoles

RX(1) OF 1





L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Replacement of the quinoline system in 2-phenyl-4-quinolinecarboxamide NK-3 receptor antagonists

RX(20) OF 49

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI 'Ligands for metals and improved metal-catalysed processes based thereon

RX(34) OF 80



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Oxidative aryl coupling reactions: a biomimetic approach to configurationally unstable or axially chiral biaryl natural products and related bioactive compounds

RX(2) OF 26



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and photophysical properties of [60]fullerene adducts carrying oligocarbazole dendrons

RX(9) OF 11 - REACTION DIAGRAM NOT AVAILABLE

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of bis(carbazol-9-yl)ary compounds for use in organic electroluminescent elements

RX(1) OF 1



NOTE: alternative preps. shown

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI 1-Phenyl-2(1H,3H)-indolonepsychotherapeutic agents

RX(24) OF 228



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI A versatile and efficient ligand for copper-catalyzed formation of C-N, C-O, and P-C bonds: pyrrolidine-2-phosphonic acid phenyl monoester

RX(17) OF 74



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and up-converted fluorescence of D-π-A compounds with N and B as the centers of electron donating and accepting groups

RX(4) OF 6



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI A Versatile Linkage Strategy for Solid-Phase Synthesis of N,N-Dimethyltryptamines and β-Carbolines

RX(23) OF 102



NOTE: solid-supported reagent

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Monoaminergic, centrally acting dopamine D-2 and serotonin 5-HT2 antagonists within a series of 3-substituted 1-[4-(fluorophenyl)]-1H-indoles

RX(8) OF 44



52%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI An efficient D-A dyad for solvent polarity sensor

RX(2) OF 15



NOTE: thermal

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of phenanthrene derivatives for use in organic light-emitting diodes

RX(7) OF 48



90%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Characterization of HERG potassium channel inhibition using CoMSIA 3D QSAR and homology modeling approaches

RX(1) OF 45



NOTE: reactant mentioned first stage

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Fischer indolization of ethyl pyruvate 2-[2-(trifluoromethyl)phenyl]phenyl hydrazone and new insight into the mechanism of the Goldberg reaction. Fischer indolization and its related compounds. XXVI

RX(8) OF 26



9%

NOTE: 18 h, 150.deg.

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and optical properties of starburst carbazoles based on 9-phenylcarbazolecore

RX(1) OF 177



40%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Palladium catalysed aryl amination reactions in supercritical carbon dioxide

RX(63) OF 73 - 2 STEPS



NOTE: 2) supercritical, green chemistry - solvent, other product also detected, high pressure in second stage, reaction in a sealed high pressure cell, incremental addition of solvent in second stage

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI L-proline-promoted Ullmann-type coupling reactions of aryl iodides with indoles, pyrroles, imidazoles or pyrazoles

RX(11) OF 16



NOTE: Ullmann-type coupling reaction

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Palladium/P(tBu)3-catalyze-synthesis of N-aryl azoles and applications to the synthesis of 4,4',4''-tris(N-azolyl)triphenylamines

RX(4) OF 7



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI An inexpensive and efficient copper catalyst for N-arylation of amines, amides and nitrogen-containing heterocycles

RX(22) OF 25

NOTE: optimization study

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Electrochemistry and photophysics of donor-substituted triarylboranes: symmetry breaking in ground and excited state

RX(3) OF 8



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Factor Xa inhibitors based on a 2-carboxyindole scaffold: SAR of neutral P1 substituents

RX(70) OF 124 - 2 STEPS



NOTE: 2) reagents assumed

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Novel Concepts in Directed Biaryl Synthesis. 91. Murrastifoline-F: First Total Synthesis, Atropo-Enantiomer Resolution, and Stereoanalysis of an Axially Chiral N,C-Coupled Biaryl Alkaloid

RX(1) OF 20



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Pentavalent organobismuth reagents. Part 3. Phenylation of enols and of enolate and other anions

RX(43) OF 66



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of biscarbazole derivatives as charge-transporting materials, and organic electroluminescence elements

RX(3) OF 55



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Large three-photon absorption cross-sections a novel class of bis-[N-carbazolyl]fluorene derivatives

RX(1) OF 2



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Stilbene like carbazole dimer-based electroluminescence materials

RX(14) OF 14 - 3 STEPS



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Tandem hydroformylation-hydrogenation-Fischer indole synthesis: a novel approach to tryptamides

RX(21) OF 101



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and Structure-Affinity Relationship Investigations of 5-Heteroaryl-Substituted Analogues of the Antipsychotic Sertindole. A New Class of Highly Selective 5-HT2 Serotonin Antagonists

RX(1) OF 345



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Selective, centrally acting serotonin 5-HT2 antagonists. 1. 2- and 6-Substituted-1-phenyl-3-(4-piperidinyl)-1H-indoles

RX(18) OF 54



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of substituted indolo[1,2-a]quinoxalines

RX(3) OF 94



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Pictet-Spengler reaction in trifluoroacetic acid. Large scale synthesis of pyridoindolobenzodiazepines as atypical antipsychotic agent

RX(5) OF 25



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and characterizations of N-carbazole end-capped oligofluorenes

RX(2) OF 10



NOTE: products depend on stoichiometry of reactants

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of symmetric fluorene derivatives with multiphoton absorption

RX(10) OF 45



NOTE: Williamson condensation

10509668.trn

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Palladium-Catalyzed Annulation of Aryl Heterocycles with Strained Alkenes

RX(30) OF 83



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Arylcarbazoles as hosts in phosphorescent OLEDs

RX(2) OF 13



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of neutral iridium metallic dendrimer complexes and their use as light-emitting devices

RX(13) OF 52



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Efficient Palladium-Catalyzed N-Arylation of Indoles

RX(6) OF 29



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Ionic liquid-accelerated N-arylation of benzoazoles with diaryliodonium salts, an efficient method for the synthesis of N-aryl azoles

RX(4) OF 15



NOTE: green chemistry-solvent, ionic liquid solvent can be recycled and reused

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Diaryl phosphine and amine ligands for improved transition metal-catelyzed processes

RX(52) OF 74

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI 2-Phenylindoles. Effect of N-benzylation on estrogen receptor affinity, estrogenic properties, and mammary tumor inhibiting activity

RX(7) OF 108 - 2 STEPS



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI 7-Azaindolyl- and indolyl-functionalized tetraarylmethane molecules with a 1,3,5-trialkylbenzene core - Synthesis and luminescence

RX(4) OF 20



RX(4) OF 20



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Isosteric ramatroban analogs: selective and potent CRTH-2 antagonists

RX(24) OF 63





NOTE: Ullmann coupling

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Regiospecific nucleophilic substitution of fluorine in fused tetrafluoroquinolines with N- and O-nucleophiles

RX(10) OF 17





L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of 4-phosphinyl-3-keto-carboxylates and 4-phosphonyl-3-keto-carboxylate intermediates useful in the preparation of phosphorus containing HMG-CoA reductase inhibitors

RX(3) OF 27



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Metal complex comprising carbazole ligands with divalent linkers and organic electroluminescence device thereof

RX(18) OF 37 - 2 STEPS



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Blue light emitting poly[N-arylcarbazol-2,7-ylene]s

RX(1) OF 10



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI The double N-arylation of primary amines: Toward multisubstituted carbazoles with unique optical properties

RX(3) OF 16





L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI A novel and selective method for the N-arylation of indoles mediated by KF/Al2O3

RX(8) OF 6

10509668.trn

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of N,N,N',N'-tetrasubstituted-1,3-bis[4-aminophenyl]azulenes and their applications s Hole-injecting material in organic electroluminescent devices

RX(17) OF 63



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Transition-metal-catalyzed process for preparing arylamines

RX(9) OF 13



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of m-carbazolylphenyl compounds as materials for organic electroluminescent devices

RX(3) OF 9



RX(3) OF 3



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and biological activities of novel arylindole-2-carboxylic acid analogs as PPARγ partial agonists

RX(33) OF 419



NOTE: key step, 4A molecular sieves used

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Process for preparation of arylamines

RX(12) OF 19



RX(12) OF 19



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and Functional Properties of End-Pendronized Oligo(9,9-diphenyl)fluorenes

RX(10) OF 90



RX(10) OF 90



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI SAR and factor IIa crystal structure of a dual inhibitor of factors IIa and Xa

RX(42) OF 208

NOTE: Ullmann reaction

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Syntheses of novel carbazolylacetylene-derivesmacrocycles

RX(18) OF 120 - 3 STEPS



(step 3)



37%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of novel 1-phenyl-1H-indole-2-carboxylicoids. I. Utilization of Wilmsmn and Diechmann reactions for the preparation of 3-hydroxy, 3-alkoxy, and 3-alkyl derivatives

RX(14) OF 86



(step 1)



86%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Novel substituted 4-aminomethylpiperidinones potent and selective human P2-agonists. Part 2: Arylethanolaminomethylpiperidines

RX(62) OF 288 - 2 STEPS



(step 2)



20%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of some heterocyclic derivatives of (r-arene) r-cyclopentadienyl)iron(II) hexafluorophosphates including estimation of dihedral angles in both free and complexed ligands

RX(1) OF 8



47%

47%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI High Triplet Energy Polymer as Host for Electrophosphorescencewith High Efficiency

RX(15) OF 172 - 2 STEPS



99%

NOTE: 1) no solvent, solid state, thermal, 2) regioselective

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Design and synthesis of subtype-selectivecyclooxygenase (COX) inhibitors derived from thalidomide

RX(82) OF 93 - 3 STEPS



32%

NOTE: 1) molecular sieves used

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of novel star-shapedcarbazole-functionalized-triazatruxenes

RX(9) OF 11 - REACTION DIAGRAM NOT AVAILABLE

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and properties of glass-formingphydrazones with 9-(4-methoxyphenyl)carbazolylgroups

RX(5) OF 9 - 2 STEPS



55%

NOTE: 1) Wilmsmn conditions, 2) Vilsmeier reaction

TI Synthesis of soluble oligocarbazole derivatives

RX(17) OF 34



RX(17) OF 34



16%

TI Convenient synthesis of triarylamines via ester-mediated nucleophilic aromatic substitution

RX(27) OF 34 - 2 STEPS



93%

TI The Unusual Electrochemical and Photophysical Behavior of 2,2'-Bis(1,3,4-oxadiazol-2-yl)biphenyl:Effective Electron Transport Hosts for Phosphorescent Organic Light Emitting Diodes

RX(19) OF 94



45%

NOTE: Ullmann reaction

TI Preparation of tetrahydrocarbolines for treatment of HIV infection and AIDS.

RX(12) OF 14 - 2 STEPS



32%

NOTE: 1) Sealed tube used

TI Fluorene-containing dendrimers

RX(3) OF 13 - REACTION DIAGRAM NOT AVAILABLE

TI A new palladium-catalyzed intramolecular cyclization: synthesis of 1-aminoindole derivatives and functionalization of their carbocyclic rings

RX(16) OF 22



40%

TI Synthesis and Photophysical Properties of Carbazole-Based Blue Light-Emitting Dendrimers

RX(7) OF 17



TI Phenylcarbazole-based compound and organic electroluminescent device employing the same

RX(7) OF 17 - 2 STEPS



87%

TI Novel Indolylindazolylmaleimides as Inhibitors of Protein Kinase C-β: Synthesis, Biological Activity, and Cardiovascular Safety

RX(4) OF 64



RX(6) OF 64



TI Synthesis, structure characterization, and quantum chemical calculation of 4,4'-di(9-carbazolyl)biphenyl

RX(1) OF 3



TI Copper-catalyzed phenylation of indoles by triphenylbismuth bis(trifluoroacetate)

RX(2) OF 7



TI Synthesis and structure-activity relationships of FAAH inhibitors: cyclohexylcarbamic acid biphenyl esters with chemical modulation at the proximal phenyl ring

RX(37) OF 63 - 2 STEPS



TI Amino Acid Promoted CuI-Catalyzed C-N Bond Formation between Aryl Halides and Amines or N-Containing Heterocycles

RX(85) OF 74



TI Receptor-binding studies of 1-N-substituted melatonin analogues

RX(8) OF 14



NOTE: Ullmann reaction

TI σ Ligands with Subnanomolar Affinity and Preference for the σ2 Binding Site. 1. 3-ω-Aminoalkyl)-1H-indoles

RX(3) OF 139



TI Synthesis and characterization of carbazole-based dendrimers with porphyrin cores

RX(14) OF 23 - 2 STEPS



NOTE: 1) regioselective, 2) thermal

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Process for preparation of fluorene-containing carbazole derivatives as organic electroluminescence luminants

RX(1) OF 8 - REACTION DIAGRAM NOT AVAILABLE

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Method for manufacture of oxfendazole

RX(1) OF 1





94%

NOTE: OPTIMIZATION STUDY

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of indolecarboxylate as inhibitors of microsomal prostaglandin E synthase-1 (mPGES-1) useful in the treatment of inflammation

RX(11) OF 102



RX(11) OF 102

NOTE: molecular sieves used in stage 1, microwave irradiation in stage 2

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Method for preparation 4,4'-bis(carbazol-9-yl)biphenyl

RX(1) OF 4



89%

NOTE: condensation reaction

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Palladium-Catalyzed C-H(sp2) Bond Formation: N-Arylation of Aromatic and Unsaturated Nitrogen and the Reductive Elimination Chemistry of Palladium Acetyl and Methylenamide Complexes

RX(6) OF 15

90%

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and properties of glass-forming condensed aromatic amines with reactive functional groups

RX(7) OF 21 - 2 STEPS



88%

NOTE: 1) Ullmann conditions, 2) regioselective

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Method of arylating aza-heterocycles with activated aromatic compounds in the presence of cesium carbonate

RX(44) OF 46



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of indolo[1,2-f]phenanthridines from palladium-catalyzed reactions of arynes

RX(13) OF 31



NOTE: Hartwig-Buchwald reaction, key step

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Organic electroluminescent device

RX(2) OF 3



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Indolo[3,2-b]carbazole-Base Thin-Film Transistors with High Mobility and Stability

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

NOTE: 1) regioselective, 2) Ullmann condensation

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Hypervalent iodine in synthesis. Part 77. An efficient method for the synthesis of N-arylindoles by the copper-catalysed N-arylation of indole with diaryliodonium salts

RX(1) OF 7



NOTE: optimised on catalyst

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI A novel class of "Gilbertic" agents: 1-aryl-3-(aminoalkylidene)oxindoles

RX(69) OF 249



NOTE: thermal

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Process for preparation of triarylamine materials for organic light-emitting diode

RX(3) OF 6



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Diphenylnitrenium Ion: Cyclization, Electron Transfer, and Polymerization Reactions

RX(2) OF 4



NOTE: room light, photochemical

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Ruthenium(II) Dendrimers Containing Carbazole-Based Chromophores as Branches

RX(7) OF 15



RX(7) OF 15

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Two step synthesis of substituted indolo[1,2-a]quinoxalin-6-ones

RX(21) OF 42



NOTE: REGIOSELECTIVE

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI New electroluminescent bipolar compounds for balanced charge-transport and tuneable color in organic light emitting diodes: triphenylamine-oxadiazole-fluorene triad molecules

RX(4) OF 34



RX(4) OF 34



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Novel, selective indole-based ECE inhibitors: Lead optimization via solid-phase and classical synthesis

RX(6) OF 97



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN (Continued)

RX(6) OF 40



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Phosphorus(V) Porphyrins with Axial Carbazole-Based Dendritic Substituents

RX(3) OF 80



NOTE: sealed tube used stage 1, Ullmann coupling stage 1

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Optical limiting in the visible range: molecular engineering around N4,N4'-bis(4-methoxyphenyl)-N4,N4'-diphenyl-4,4'-diaminobiphenyl

RX(9) OF 20



NOTE: thermal, Ullmann amination

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Aromatic nucleophilic substitution on haloarene chromium tricarbonyl complexes. Mild N-arylation of indoles

RX(6) OF 40



RX(6) OF 40



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and electroluminescence of thiophene-based bipolar small molecules with different arylamine moieties

RX(27) OF 44 - 2 STEPS



NOTE: 1) modified Ullmann condensation, 2) regioselective, Vilsmeier-Haack formylation

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Characterization of a new class of selective nonsteroidal progesterone receptor agonists

RX(59) OF 84 - 3 STEPS



NOTE: 1) regioselective, 2) combinatorial, ultrasound used if necessary second stage to dissolve reactant in ethanol

L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Method for preparation of N-arylazoles

RX(5) OF 5



L10 132 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Benzodiazepine. XII. Synthesis of 1,4-benzodiazepinederivatives

RX(14) OF 33



ALL ANSWERS HAVE BEEN SCANNED

=> ....Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END):end

=>
Uploading C:\Program Files\Stnexp\Queries\10509668specfic.str



ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 20 21 22 23 24
25
ring/chain nodes :
19 27 28 29
chain bonds :
3-27 9-19 12-28 18-20 23-29
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 10-11 10-15 11-12 12-13 13-14
14-15 14-16 15-18 16-17 17-18 20-21 20-25 21-22 22-23 23-24 24-25
exact/norm bonds :
5-7 6-9 7-8 8-9 14-16 15-18 16-17 17-18 18-20
exact bonds :
3-27 9-19 12-28 23-29
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 10-11 10-15 11-12 12-13 13-14 14-15 20-21
20-25 21-22 22-23 23-24 24-25

G1:H,X

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:CLASS
20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 27:CLASS 28:CLASS 29:CLASS
fragments assigned product role:
containing 10
fragments assigned reactant/reagent role:
containing 1
reaction site bonds:
9-19:CC 18-20:CC

node mappings:
8:17 7:16 3:12 4:13 9:18

L11 STRUCTURE UPLOADED

=> que L11

L12 QUE L11

=> s l12
SAMPLE SEARCH INITIATED 09:21:18 FILE 'CASREACT'
SCREENING COMPLETE - 18 REACTIONS TO VERIFY FROM 7 DOCUMENTS

100.0% DONE 18 VERIFIED 1 HIT RXNS 1 DOCS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED VERIFICATIONS: 106 TO 614
PROJECTED ANSWERS: 1 TO 79

L13 1 SEA SSS SAM L11 (1 REACTIONS)

=> d scan

L13 1 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Copper-catalyzed N-arylation of nucleophiles and its applications to, e.g., indoles

RX(1) OF 1



1. CuI, C:654078-41-3,
2. KOH



93%

ALL ANSWERS HAVE BEEN SCANNED

```
=> s l12 full
FULL SEARCH INITIATED 09:21:31 FILE 'CASREACT'
SCREENING COMPLETE -       634 REACTIONS TO VERIFY FROM       155 DOCUMENTS

100.0% DONE      634 VERIFIED        2 HIT RXNS                      2 DOCS
SEARCH TIME: 00.00.01

L14            2 SEA SSS FUL L11 (      2 REACTIONS)

=> d scan
```


L14 2 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Method for manufacture of sertindole

RX(1) OF 1





NOTE: OPTIMIZATION STUDY

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L14 2 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Copper-catalyzed N-arylations of nucleophiles and its applications to, e.g., indoles

RX(1) OF 1





ALL ANSWERS HAVE BEEN SCANNED

```
=> file caplus
FILE 'CAPLUS' ENTERED AT 09:21:51 ON 25 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN.  Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 25 Sep 2007  VOL 147 ISS 14
FILE LAST UPDATED: 24 Sep 2007  (20070924/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/infopolicy.html

=> file casreact
FILE 'CASREACT' ENTERED AT 09:21:58 ON 25 SEP 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 22 Sep 2007 VOL 147 ISS 14

New CAS Information Use Policies, enter HELP USAGETERMS for details.

++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++
+                                                              +
+     CASREACT now has more than 12 million reactions          +
+                                                              +
++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999)
provided by InfoChem, INPI data prior to 1986, and Biotransformations
database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance
identification.

=> d his

     (FILE 'HOME' ENTERED AT 09:10:56 ON 25 SEP 2007)
```



```
     FILE 'CASREACT' ENTERED AT 09:11:18 ON 25 SEP 2007
L1             SCREEN 1929
L2             STRUCTURE UPLOADED
L3             QUE L2 AND L1
L4          50 S L1
L5           8 S L3

     FILE 'STNGUIDE' ENTERED AT 09:12:30 ON 25 SEP 2007

     FILE 'CASREACT' ENTERED AT 09:13:21 ON 25 SEP 2007
L6             SCREEN 1976
L7             STRUCTURE UPLOADED
L8             QUE L7 AND L6
L9           4 S L8
L10        132 S L8 FULL

     FILE 'STNGUIDE' ENTERED AT 09:15:49 ON 25 SEP 2007

     FILE 'CASREACT' ENTERED AT 09:16:53 ON 25 SEP 2007
L11            STRUCTURE UPLOADED
L12            QUE L11
L13          1 S L12
L14          2 S L12 FULL

     FILE 'CAPLUS' ENTERED AT 09:21:51 ON 25 SEP 2007

     FILE 'CASREACT' ENTERED AT 09:21:58 ON 25 SEP 2007

=> d l14 cbib abs fcrd
```

L14 ANSWER 1 OF 2 CASREACT COPYRIGHT 2007 ACS on STN
140:181322 Copper-catalyzed N-arylation of nucleophiles and its application to, e.g., indoles. Hicks, Frederick (Rhodia Pharma Solutions Inc., USA). PCT Int. Appl. WO 2004013072 A2 20040212, 22 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2003-US23873 20030729. PRIORITY: US 2002-400442P 20020802.
GI


1

AB The invention refers to compds. ArN(R1)R2 [wherein: Ar = (hetero)aryl, alkenyl; R1 = H, alkyl, aryl; R2 = COR3, SO2R7; or NR1R2 = heterocyclyl; R3 = H, alkyl, (hetero)aryl, alkenyl, OR5, N(R6)2; R5, R6 R7 = alkyl, aryl] prepared via arylation of nucleophiles HN(R1)R2 by aromatic compds.
ArX
[wherein: X = halogen, sulfonate, phosphate] in the presence of a copper catalyst (copper atom or ion and a ligand), a base (alkaline earth
carbonate,
bicarbonate, hydroxide or phosphate), and water. The method of this invention allows the amount of base to be reduced compared to prior methods, thus minimizing reactor agitation and capacity issues. For instance, compound 1 (yield of 95%) was prepared via CuI-catalyzed arylation of 5-chloroindole (30 mmol) by 4-bromofluorobenzene (60 mmol) in the presence of 1,2-di(aminomethyl)cyclohexan (3 mmol), water (5 mL), and KOH (90 mmol).

L14 ANSWER 1 OF 2 CASREACT COPYRIGHT 2007 ACS on STN (Continued)

RX(1) OF 1



CON: STAGE(1) room temperature; 5 minutes, room temperature
STAGE(2) room temperature; 4 hours, 120 deg C

L14 ANSWER 2 OF 2 CASREACT COPYRIGHT 2007 ACS on STN
139:276901 Method for manufacture of sertindole. Zanon, Jacopo; Villa, Marco; Ciardella, Francesco (H. Lundbeck A/S, Den.). PCT Int. Appl. WO 2003080597 A1 20031002, 28 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, MI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2003-DK208 20030326. PRIORITY: DK 2002-480 20020327; US 2002-368434P 20020327.
AB The present invention relates to a novel method for manufacture of
sertindole
comprising manufacturing 5-chloro-1-(4-fluorophenyl)indole and converting
it to
sertindole wherein the method for manufacture of 5-chloro-1-(4-fluorophenyl)indole comprises reacting 5-chloroindole with a 4-fluorophenylhalide in the presence of a base, a chelating ligand and catalytic amts. of a Cu salt comprising Cu(I) or Cu(II) and an anion which does not interfere in an unfavorable way with the reaction.

RX(1) OF 1



NOTE: OPTIMIZATION STUDY
CON: STAGE(1) room temperature -> 40 deg C; 13 hours, 40 deg C;
45 minutes, 40 deg C -> 135 deg C; 5 hours, 130 - 135 deg C

=> log hold

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	14.58	247.94

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-2.19	-2.19

SESSION WILL BE HELD FOR 120 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 09:23:32 ON 25 SEP 2007

L14 ANSWER 1 OF 2 CASREACT COPYRIGHT 2007 ACS on STN
140:181323 Copper-catalyzed N-arylation of nucleophiles and its application to, e.g., indoles. Klein, Frederick (Rhodia Pharma Solutions Inc., USA). PCT Int. Appl. WO 2004013072 A2 20040212, 23 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG. (English). CODEN: PIXD2X. APPLICATION: WO 2003-US21672 20030710. PRIORITY: US 2002-400642P 20020802.

GI



AB The invention refers to compds. ArW(R1)R2 (wherein: Ar = (hetero)aryl, alkenyl; R1 = H, alkyl, aryl; R2 = COR3, SO2R7; or NR1R2 = heterocyclyl; R3 = H, alkyl, (hetero)aryl, alkenyl, OR5, N(R6)2; R5, R6 R7 = alkyl, aryl) prepared via arylation of nucleophiles HN(R1)R2 by aromatic compds.

ArI

(wherein: I = halogen, sulfonate, phosphate) in the presence of a copper catalyst (copper atom or ion and a ligand), a base (alkaline earth carbonate, bicarbonate, hydroxide or phosphate), and water. The method of this invention allows the amount of base to be reduced compared to prior methods, thus minimizing reactor agitation and capacity issues. For instance, compound I (yield of 95%) was prepared via CuI-catalyzed arylation of 5-chloroindole (30 mmol) by 4-bromofluorobenzene (60 mmol) in the presence of 1,2-di(aminomethyl)cyclohexane (3 mmol), water (5 mL), and KOH (90 mmol).

RX(1) OF 1





93%

CON: STAGE(1): room temperature; 5 minutes, room temperature
STAGE(2): room temperature; 4 hours, 120 deg C

=> d l14 cbib abs fcrd 1-2